



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/4882407
Dated/दिनांक : 16-05-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	31-05-2024 12:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	31-05-2024 12:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Communications
Department Name/विभाग का नाम	Department Of Telecommunications (dot)
Organisation Name/संगठन का नाम	Mahanagar Telephone Nigam Limited(mtnl)
Office Name/कार्यालय का नाम	Eastern Court Janpath New Delhi 110001
Total Quantity/कुल मात्रा	8
Item Category/मद केटेगरी	Server (Q2)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	15 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	15 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	50 %

Bid Details/बिड विवरण	
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
ITC available to buyer/क्रेता के लिए उपलब्ध आईटीसी	Yes
Annual Maintenance Charges Required	Yes
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Server
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	5000000
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	100000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	30

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

SM Internet
4th Flr Kidwai Bhawan Janpath New Delhi-1
(Mohan Pandit)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the

offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 100%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Excel Upload Required/एक्सेल में अपलोड किए जाने की आवश्यकता :

Price Schedule for Financial Bid - [1713858046.xlsx](#)

Server (5 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Processor	Processor Architecture	CISC(X86), RISC, EPIC Or higher
	Processor Make	Intel
	Number of Cores per Processor	4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 64, 11, 48, 44, 52, 56, 60, 84, 96, 112, 128 Or higher
	Processor Base Frequency (GHz)	2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 2.25, 2.35, 2.45, 2.55, 2.65, 2.75, 2.85, 2.95, 3.25, 3.55, 3.85, 4.05, 4.1 Or higher
Chassis	Form Factor	Rack, Tower Or higher
Motherboard	Maximum number of Sockets available on Server	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
	Maximum number of Sockets populated with Processors available on Server	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
Co Processor / GPU	Availability of Co Processor /GPU	Yes, No Or higher
Memory	Type of RAM	DDR4 SDRAM with ECC, DDR4 NVRAM (Persistent Memory)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	DDR SDRAM Size(GB)	32.0 - 6144.0 Or higher
SSD Storage	Type of Interface for SSD	SATA, SAS, NVMe, M.2/mSATA, M.2/NVMe, NA
HDD Storage	Type of Interface for Hard Disk Drive	SATA, SAS
	Capacity offered per SATA Drive (GB)	1000
	Total Storage Capacity offered with SATA Drive (GB)	2000.0 Or higher
RAID	RAID level	1, 5, 1+0, 5+0, 0
	No of RAID Controller Ports	2, 3, 4, 5, 6, 7, 8 Or higher
	Speed of RAID Controller Ports (Gbps)	6, 12 Or higher
Ports & Interfaces	Number of Networking Interface Cards (LAN)	2, 3, 4, 5, 6, 7, 8, 1 Or higher
	Total Number of Ethernet Ports required in Server	1x1G, 2x10G with SFP+, 2x10G RJ 45, 2x25G with SFP+, 2x25G with Twinax DAC, 2x40G with SFP+, 2x50G with SFP+, 2x50G with Twinax DAC, 2x100G with SFP+, 2x100G with Twinax DAC, 2x200G with SFP+, 2x200G with Twinax DAC, 4x10G with SFP+, 4x10G RJ 45, 4x50G with SFP+, 4x50G with Twinax DAC, 4x100G with SFP+, 4x100G with Twinax DAC, 4x200G with SFP+, 4x200G with Twinax DAC, 2x1G, 4x25G with SFP+, 4x25G with Twinax DAC, 2x40G with Twinax DAC, 4x10G with Twinax DAC, 4x1G
	Number of Single port FC HBA card	0, 1, 2, 3, 4 Or higher
	Number of Dual port FC HBA card	0, 1, 2, 3, 4 Or higher
	Number of Quad port FC HBA card	0, 1, 2, 3, 4 Or higher
	FC HBA Speed (Gbps)	8, 16, 32, NA Or higher
	Number of Converged Network Adaptor (CNA)	0, 1, 2, 3, 4 Or higher
	Number of Ports per CNA card	Dual Port, Quad Port, NA Or higher
	CNA Port Speed (Gbps)	10, 25, 40, 50, 100, 200, 0 Or higher
	Length of LC-LC Cable per SFP+ Port (meter)	5, 10, 15, 0 Or higher
	Length of LC-LC Cable per HBA Port (meter)	5, 10, 15, 0 Or higher
	Length of LC-LC Cable per CNA Port (meter)	5, 10, 15, 0 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Video Controller (support VGA or above resolution)	Yes Or higher
	Keyboard Port	Yes Or higher
	Mouse Port	Yes Or higher
	DVD ROM (Internal/Exrternal)	Yes, No Or higher
Certifications	Certifications/Compliance (OS)	Windows, Red Hat Linux, Suse Linux, Ubuntu, Cent OS, Debian, AIX
Features	Management Features-1	Remoter power On/ Shutdown of server,, Remote Management of Server over LAN & WAN with SSL encryption through gigabit management port,, Should have virtual Media support with all required licenses., Remote KVM, Server Health Logging, Out of Band Management
	Management Features-2	Management of multiple Servers from single console with single source of truth for multiple sites., Automated infrastructure management for patch upgrades, version upgrades ,etc., Simplified management with analytics driven actionable intelligence., System tagging giving admin flexibility to provide metadata tags to each System to enable users to filter and sort systems based on user-assigned attributes, Hardware Profile based deployment to multiple Servers simultaneously, Policy template for deployment of single policy to multiple Servers simultaneously, Platfrom inventory and helath status, Server utilization statistics collection (including firmware updates and diagnostic tools), Should provide an alert in case the system is not part of OEM hardware complatibilty test, Solution should be open and programmable providing Rest API, SDK for programming lanugaes like Python , power shell scripts etc., Should have customizable dashboard to show overall faults/health/inventory for all managed infrastructure the solution should provide option to create unique dashboards for individual users.the user should be flexibility to select name for dshasboards and widgets (viz. health, utilization etc), Single pane of glass for auto Provisioning across Multi vendor & multi hypervisor platform, Self service portal deployment for automated provisioning, Real-time out-of-band hardware performance monitoring & alerting
	Security Features-1	Secure Boot(Firmware and Bios Level Security), Provision to lock the system on breach, Hardware root of trust/Dual Root of Trust, Server should provide policy based security, Server should provide server intrusion detection,, "Malicious Code Free design" (to be certified by OEM)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Security Features-2	Provision for Cryptographic firmware updates, Capability to stop execution of Application/Hypervisor/ Operating System on predefined security breach, Secure /Automatic BIOS recovery, Network Card secure firmware boot, In case of any security breach system should provide the lock down feature
	Server scalability to be achieved within the box & without adding nodes	Yes Or higher
Generic	Redundant Power Supply	Yes, No Or higher
	Hot Swappable (Redundant Power Supply)	Yes, No Or higher
	Power Supply Efficiency	Gold, Platinum, Titanium, Bronze Or higher
	Redundant Fan	Yes, No Or higher
Warranty	On Site OEM Warranty (Year)	3, 4, 5, 7 Or higher

Annual Maintenance	
Warranty of required product	2 Year
Annual Maintenance Charges Duration (Post Warranty)	3 Year
Annual Maintenance Charges Frequency	Annually
ITC Available On GST	100%
ITC Available On GST Cess	100%

*Warranty displayed under the AMC/CMC Details section will supersede the warranty displayed under the catalog specification

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	100%

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	RAKESH ARORA	110001,O/O GM(BB), 6th FLOOR,KIDWAI BHAWAN,JANPATH,NEW DELHI-110001	5	45

Server (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Processor	Processor Make	Intel
	Number of Cores per Processor	4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 64, 11, 48, 44, 52, 56, 60, 84, 96, 112, 128 Or higher
	Processor Base Frequency (GHz)	2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 2.25, 2.35, 2.45, 2.55, 2.65, 2.75, 2.85, 2.95, 3.25, 3.55, 3.85, 4.05, 4.1 Or higher
Motherboard	Maximum number of Sockets available on Server	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
	Maximum number of Sockets populated with Processors available on Server	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
Co Processor / GPU	Availability of Co Processor /GPU	Yes, No Or higher
Memory	Type of RAM	DDR4 SDRAM with ECC, DDR4 NVRAM (Persistent Memory)
	DDR SDRAM Size(GB)	96.0 - 6144.0 Or higher
SSD Storage	Type of Interface for SSD	SATA, SAS, NVMe, M.2/mSATA, M.2/NVMe, NA
HDD Storage	Type of Interface for Hard Disk Drive	SATA, SAS, NL SAS, NA
RAID	RAID level	1, 5, 1+0, 0
	No of RAID Controller Ports	8 Or higher
	Speed of RAID Controller Ports (Gbps)	6, 12 Or higher
Ports & Interfaces	Number of Networking Interface Cards (LAN)	2, 3, 4, 5, 6, 7, 8 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Total Number of Ethernet Ports required in Server	1x1G, 2x10G with SFP+, 2x10G RJ 45, 2x25G with SFP+, 2x25G with Twinax DAC, 2x40G with SFP+, 2x50G with SFP+, 2x50G with Twinax DAC, 2x100G with SFP+, 2x100G with Twinax DAC, 2x200G with SFP+, 2x200G with Twinax DAC, 4x10G with SFP+, 4x10G RJ 45, 4x50G with SFP+, 4x50G with Twinax DAC, 4x100G with SFP+, 4x100G with Twinax DAC, 4x200G with SFP+, 4x200G with Twinax DAC, 2x1G, 4x25G with SFP+, 4x25G with Twinax DAC, 2x40G with Twinax DAC, 4x10G with Twinax DAC, 4x1G
	Server Network Ports should Support SR-IOV Feature	Yes, No Or higher
	Number of Single port FC HBA card	0, 1, 2, 3, 4 Or higher
	Number of Dual port FC HBA card	1, 2, 3, 4 Or higher
	Number of Quad port FC HBA card	0, 1, 2, 3, 4 Or higher
	FC HBA Speed (Gbps)	8, 16, 32, NA Or higher
	Number of Converged Network Adaptor (CNA)	0, 1, 2, 3, 4 Or higher
	Number of Ports per CNA card	Dual Port, Quad Port, NA Or higher
	CNA Port Speed (Gbps)	10, 25, 40, 50, 100, 200, 0 Or higher
	Length of LC-LC Cable per SFP+ Port (meter)	5, 10, 15, 0 Or higher
	Length of LC-LC Cable per HBA Port (meter)	5, 10, 15, 0 Or higher
	Length of LC-LC Cable per CNA Port (meter)	5, 10, 15, 0 Or higher
	Video Controller (support VGA or above resolution)	Yes Or higher
Certifications	Certifications/Compliance (OS)	Windows, Red Hat Linux, Suse Linux, Ubuntu, Cent OS, Debian, AIX
Features	Management Features-1	Remoter power On/ Shutdown of server,, Remote Management of Server over LAN & WAN with SSL encryption through gigabit management port,, Should have virtual Media support with all required licenses., Remote KVM, Server Health Logging

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Management Features-2	Management of multiple Servers from single console with single source of truth for multiple sites., Automated infrastructure management for patch upgrades, version upgrades ,etc., Simplified management with analytics driven actionable intelligence., System tagging giving admin flexibility to provide metadata tags to each System to enable users to filter and sort systems based on user-assigned attributes, Hardware Profile based deployment to multiple Servers simultaneously, Policy template for deployment of single policy to multiple Servers simultaneously, Platform inventory and health status, Server utilization statistics collection (including firmware updates and diagnostic tools), Should provide an alert in case the system is not part of OEM hardware compatibility test, Solution should be open and programmable providing Rest API, SDK for programming languages like Python , power shell scripts etc., Should have customizable dashboard to show overall faults/health/inventory for all managed infrastructure the solution should provide option to create unique dashboards for individual users.the user should be flexibility to select name for dashboards and widgets (viz. health, utilization etc), Real-time out-of-band hardware performance monitoring & alerting
	Security Features-1	Secure Boot(Firmware and Bios Level Security), Provision to lock the system on breach, Hardware root of trust/Dual Root of Trust, Server should provide policy based security, Server should provide server intrusion detection,
	Security Features-2	Provision for Cryptographic firmware updates, Capability to stop execution of Application/Hypervisor/ Operating System on predefined security breach, Secure /Automatic BIOS recovery, Network Card secure firmware boot, In case of any security breach system should provide the lock down feature
Generic	Redundant Power Supply	Yes, No Or higher
	Hot Swappable (Redundant Power Supply)	Yes, No Or higher
	Power Supply Efficiency	Gold, Platinum, Titanium, Bronze Or higher
	Redundant Fan	Yes, No Or higher
Warranty	On Site OEM Warranty (Year)	3, 4, 5, 7 Or higher

Annual Maintenance

Warranty of required product	2 Year
------------------------------	--------

Annual Maintenance	
Annual Maintenance Charges Duration (Post Warranty)	3 Year
Annual Maintenance Charges Frequency	Annually
ITC Available On GST	100%
ITC Available On GST Cess	100%

*Warranty displayed under the AMC/CMC Details section will supersede the warranty displayed under the catalog specification

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	100%

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	RAKESH ARORA	110001,O/O GM(BB), 6th FLOOR,KIDWAI BHAWAN,JANPATH,NEW DELHI-110001	1	45

Server (2 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Processor	Processor Architecture	CISC(X86), RISC, EPIC Or higher
	Processor Make	Intel

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of Cores per Processor	4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 64, 11, 48, 44, 52, 56, 60, 84, 96, 112, 128 Or higher
	Processor Base Frequency (GHz)	2.1, 2.2, 2.3, 2.4, 2.5, 2.6, 2.7, 2.8, 2.9, 3, 3.1, 3.2, 3.3, 3.4, 3.5, 3.6, 3.7, 3.8, 3.9, 4, 2.25, 2.35, 2.45, 2.55, 2.65, 2.75, 2.85, 2.95, 3.25, 3.55, 3.85, 4.05, 4.1 Or higher
Chassis	Form Factor	Rack, Tower Or higher
Motherboard	Maximum number of Sockets available on Server	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
	Maximum number of Sockets populated with Processors available on Server	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 Or higher
Co Processor / GPU	Availability of Co Processor /GPU	Yes, No Or higher
Memory	Type of RAM	DDR4 SDRAM with ECC, DDR4 NVRAM (Persistent Memory)
	DDR SDRAM Size(GB)	64.0 - 6144.0 Or higher
SSD Storage	Type of Interface for SSD	SATA, SAS, NVMe, M.2/mSATA, M.2/NVMe, NA
HDD Storage	Type of Interface for Hard Disk Drive	SATA, SAS, NL SAS, NA
	Capacity offered per SATA Drive (GB)	1200
	Total Storage Capacity offered with SATA Drive (GB)	2400.0 Or higher
RAID	RAID level	1, 5, 1+0, 5+0, 0
	No of RAID Controller Ports	2, 3, 4, 5, 6, 7, 8 Or higher
	Speed of RAID Controller Ports (Gbps)	6, 12 Or higher
Ports & Interfaces	Number of Networking Interface Cards (LAN)	2, 3, 4, 5, 6, 7, 8 Or higher
	Total Number of Ethernet Ports required in Server	1x1G, 2x10G with SFP+, 2x10G RJ 45, 2x25G with SFP+, 2x25G with Twinax DAC, 2x40G with SFP+, 2x50G with SFP+, 2x50G with Twinax DAC, 2x100G with SFP+, 2x100G with Twinax DAC, 2x200G with SFP+, 2x200G with Twinax DAC, 4x10G with SFP+, 4x10G RJ 45, 4x50G with SFP+, 4x50G with Twinax DAC, 4x100G with SFP+, 4x100G with Twinax DAC, 4x200G with SFP+, 4x200G with Twinax DAC, 2x1G, 4x25G with SFP+, 4x25G with Twinax DAC, 2x40G with Twinax DAC, 4x10G with Twinax DAC, 4x1G
	Number of Single port FC HBA card	0, 1, 2, 3, 4 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of Dual port FC HBA card	0, 1, 2, 3, 4 Or higher
	Number of Quad port FC HBA card	0, 1, 2, 3, 4 Or higher
	FC HBA Speed (Gbps)	8, 16, 32, NA Or higher
	Number of Converged Network Adaptor (CNA)	0, 1, 2, 3, 4 Or higher
	Number of Ports per CNA card	Dual Port, Quad Port, NA Or higher
	CNA Port Speed (Gbps)	10, 25, 40, 50, 100, 200, 0 Or higher
	Length of LC-LC Cable per SFP+ Port (meter)	5, 10, 15, 0 Or higher
	Length of LC-LC Cable per HBA Port (meter)	5, 10, 15, 0 Or higher
	Length of LC-LC Cable per CNA Port (meter)	5, 10, 15, 0 Or higher
	Video Controller (support VGA or above resolution)	Yes Or higher
	Keyboard Port	Yes Or higher
	Mouse Port	Yes Or higher
	DVD ROM (Internal/Exrternal)	Yes Or higher
Certifications	Certifications/Compliance (OS)	Windows, Red Hat Linux, Suse Linux, Ubuntu, Cent OS, Debian, AIX
Features	Management Features-1	Remoter power On/ Shutdown of server,, Remote Management of Server over LAN & WAN with SSL encryption through gigabit management port,, Should have virtual Media support with all required licenses., Remote KVM, Server Health Logging, Out of Band Management

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Management Features-2	Management of multiple Servers from single console with single source of truth for multiple sites., Automated infrastructure management for patch upgrades, version upgrades ,etc., Simplified management with analytics driven actionable intelligence., System tagging giving admin flexibility to provide metadata tags to each System to enable users to filter and sort systems based on user-assigned attributes, Hardware Profile based deployment to multiple Servers simultaneously, Policy template for deployment of single policy to multiple Servers simultaneously, Platform inventory and health status, Server utilization statistics collection (including firmware updates and diagnostic tools), Should provide an alert in case the system is not part of OEM hardware compatibility test, Solution should be open and programmable providing Rest API, SDK for programming languages like Python , power shell scripts etc., Should have customizable dashboard to show overall faults/health/inventory for all managed infrastructure the solution should provide option to create unique dashboards for individual users.the user should be flexibility to select name for dashboards and widgets (viz. health, utilization etc), Single pane of glass for auto Provisioning across Multi vendor & multi hypervisor platform, Self service portal deployment for automated provisioning, Real-time out-of-band hardware performance monitoring & alerting
	Security Features-1	Secure Boot(Firmware and Bios Level Security), Provision to lock the system on breach, Hardware root of trust/Dual Root of Trust, Server should provide policy based security, Server should provide server intrusion detection,, "Malicious Code Free design" (to be certified by OEM)
	Security Features-2	Provision for Cryptographic firmware updates, Capability to stop execution of Application/Hypervisor/ Operating System on predefined security breach, Secure /Automatic BIOS recovery, Network Card secure firmware boot, In case of any security breach system should provide the lock down feature
Generic	Redundant Power Supply	Yes Or higher
	Hot Swappable (Redundant Power Supply)	Yes Or higher
	Power Supply Efficiency	Platinum, Titanium, Bronze Or higher
	Redundant Fan	Yes Or higher
Warranty	On Site OEM Warranty (Year)	3, 4, 5, 7 Or higher

Annual Maintenance	
Warranty of required product	2 Year
Annual Maintenance Charges Duration (Post Warranty)	3 Year
Annual Maintenance Charges Frequency	Annually
ITC Available On GST	100%
ITC Available On GST Cess	100%

*Warranty displayed under the AMC/CMC Details section will supersede the warranty displayed under the catalog specification

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट
100%	100%

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	RAKESH ARORA	110001,O/O GM(BB), 6th FLOOR,KIDWAI BHAWAN,JANPATH,NEW DELHI-110001	2	45

Buyer added Bid Specific Additional Scope of Work

S.No.क्र.सं.	Document Title	Description	Applicable/रिवर्स प्रभार के अनुसार जीएसटी i.r.o. Items
1	ATC Document View	ATC Additional Requirement will override Catalog specifications	Server(5)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

Additional Clause For Annual Maintenance Charges

1.AMC charges to be indicated as percentage of cost of Product/Equipment quoted for each year after the warranty period.

2. GST shall be included in the AMC Charges quoted.

3. The AMC functionality shall be available in bid only and no direct RA shall be applicable. In case of bid to RA decrement rules shall be applicable on total price inclusive of AMC charges.

3.1 Buyer shall indicate number of years of warranty by selecting option of 1- 10 Years available in the field depending on warranty parameter applicable in category parameters for the equipment. The Seller while participating in Bid/RA will get fields to indicate AMC charges as percentage depending on number of years of AMC selected by Buyer. The following shall be applicable If 5 year AMC selected.

3.1.1 AMC charges for first year after warranty period – Percentage to be indicated- A1.

3.1.2 AMC charges for second year after warranty period – Percentage to be indicated A2.

3.1.3 AMC charges for third year after warranty period – Percentage to be indicated A3.

3.1.4 AMC charges for fourth year after warranty period – Percentage to be indicated A4.

3.1.5 AMC charges for 5th year after warranty period – Percentage to be indicated A5.

3.2 The calculation of AMC Charges shall take in to account of number of years of warranty and duration of AMC as specified while creating bid.

3.3 AMC charges to be indicated for each subsequent year should be same or higher than preceding year.

3.4 The AMC charges shall be offered within range of 3 to 10% of cost of equipment.

4. Since AMC charges are to be paid only later for each year during AMC period , applicable performance guarantee amount after placement of contract shall be based on the cost of product/equipment and not on basis of cost of equipment along with AMC Charges.

5. Performance bank guarantee applicable for AMC is to be submitted at start of the AMC and shall be applicable as 5% on the total contract value including AMC Charges The PBG submitted after award of contract shall be released only after new PBG for the AMC period is submitted and accepted by buyer/consignee after due verification. Bank guarantee for AMC is to remain valid till completion of AMC period plus one year .The bank guarantee for AMC shall be submitted to buyer directly.

6. In case of splitting of quantity product/equipment cost and AMC charges offered by L-1 in the evaluated cost shall be matched by higher quoting eligible bidders on one to one basis .The equipment cost shall be matched and AMC charges shall be matched year to year.

7. The AMC Contract shall be an offline contract to be handled by buyer. The payment of AMC will be made on AMC frequency (as indicated above) basis after satisfactory completion of said period, duly certified by end user and scope of AMC will be as per para 1 above.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---